



## SHRI GURU GOBIND SINGHJI

INSTITUTE OF ENGINEERING AND TECHNOLOGY, NANDED  
(Govt. Aided Autonomous Institute) Vishnupuri, Nanded-431606, MH.



Phone) :02462 (229234 ,269101 ,269102 Fax) :02462(229236

e-mail :director@sggs.ac.in, Website: www.sggs.ac.in

F. No.SGGSIE&T/Store-3102/Networking and Ethernet OFC Connectivity and Switch/Camp. Net. & CCF /2023-24  
Date: 19/07/2023

### Inquiry

Subject: - Quotation for Networking and Ethernet OFC Connectivity and Switch for Camp. Net. and CCF Lab.

Dear Sir,

You are requested to send your most competitive quotation for the supply of above material, subject to conditions mentioned. The quotation in sealed cover should reach this office on or before 02/08/2023 at 01=00 PM


The sealed cover should super scribe as QUOTATION for above material; Due on 02/08/2023 at 01=00 PM. The quotation will be opened on 02/08/2023 At. 03:00 pm. If possible in the presence of such suppliers who remain present.

#### TERMS AND CONDITIONS:

1. Rates quoted are F.O.R. At Vishnupuri.
2. The taxes, Insurance, Freight, Packing & forwarding charges etc. If any must mention separately.
3. The validity period for the rates offered should be clearly mentioned and it should be 90 days from the date opening of the quotations.
4. The delivery period shall be clearly stated.
5. Submit the shop act certificate along with the quotation.
6. Submit the GST registration certificate along with the quotation.
7. The item quoted should be confirm to the specification given please furnish your Details Specification against each item quoted. The relevant catalogue/pomp let should necessary accompany the quotations.
8. The institution reserves the right to accept any quotation or reject any/all quotations and to order Any of the items in any quantity without assigning any reason
9. The items will have checked at the institute and acceptance is subject to the approval of the institute.
10. If the supply of any part thereof is reject by institute the supplier will have to bear all expenses. Incurred in the matter including all charges for return and replacement of the items.
11. Guarantee should be minimum 12 months from demonstration/installation.
12. 100% payment will be made after receipt of material in good condition and approved by us.
13. If you are having with DGS&D rate contract, or your item is proprietary then please send copy of rate contract or proprietary item certificate along with authorized dealership certificate.
14. If your item/s is /are PROPRIETARY item, then you may please send the PROPRIETARY ITEM CERTIFICATE along with the quotation.
15. If you are AUTHORISED DEALER of any manufacturers, then please send the dealership Certificate and company price list along with the quotation.
16. **Penalty clause:** If supplier fails to supply the ordered material within the scheduled delivery period, for late delivery of goods we will entitled to recover the liquidated damages as a sum equal to ½ percent of the price of stores delivered late per week. As per store purchase manual Revised as per G.O (P) No.3/2013/SPD, dated 21.06.2013.

Thanking You,

  
DIRECTOR



उत्कृष्टतंत्रज्ञानार्थजनशक्ते शिक्षण  
DTE Code: 2020

## SHRI GURU GOBIND SINGHJI

INSTITUTE OF ENGINEERING AND TECHNOLOGY, NANDED  
(Govt. Aided Autonomous Institute) Vishnupuri, Nanded-431606, MH.



स्वातंत्र्याचा प्रवृत्त मार्ग

Phone :02462 (229234 ,269101 ,269102 Fax) :02462(229236

e-mail :director@sngs.ac.in, Website: www.sngs.ac.in

### Annexure "A"

\* You must quote the rate in the following format with your letterhead.

Sr. No.	Name of the material with details specification	Qty	Rate [Including with GST/Transportation and All]	Total Amount [Including with GST/Transportation and All]
1	<p>POWER AMPLIFIERS DUAL CHANNEL POWER AMPLIFIERS FOR SUBWOOFER - (Qty. 01)</p> <p>1400 WATTS Dual Channel PA Power Amplifier New 1400 Watts Direct Coupled Amplifier with attractive most modern aesthetics, combined with legendary Ahuja ruggedness and reliability. Ideal for high end music programs.</p>	1		
2	<p>MIXER AMPLIFIERS MEDIUM WATTAGE PA MIXER AMPLIFIERS (Qty.01)</p> <p>160 WATTS WITH BUILT-IN DIGITAL PLAYER MEDIUM WATTAGE PA MIXER AMPLIFIER 5 Mic &amp; 2 Aux Inputs. Built-in MP3 player with remote control for USB, SD/MMC card reader. Preamplifier and Line Output for connecting to a Booster Amplifier and for recording the program. Line Input for connecting the output from any external mixer or permitting SSA-160DP to be used as a Booster Power Amplifier. Resettable circuit breaker for protection against overload and short circuit. Instant transfer to DC power (Car Battery) if AC power fails. Box Speaker/Driver Unit selector switch. Bass boost defeated at Driver Unit position for safer operation of driver units. 5 LED array for output level monitoring.</p>	1		
3	<p>650 WATTS PA Subwoofer (QTY 01)</p> <p>The SWX-650 is a professional high power Subwoofer system employing an extremely efficient 45.72cm (18") LF driver with an extended low frequency response. It is the perfect solution to any need where significant extension of the low frequency output is required. The system is housed in a Rugged Bass Reflex Enclosure made of 18mm board. The cabinet has been reinforced with bracing and is Carpet covered which keeps the first day appearance longer. A stand adapter has been provided at the top of the cabinet for pole mounting a full range speaker system. The cabinet is</p>	1		



उत्कृष्टतंत्रज्ञानार्थजनशक्ते शिक्षण  
DTE Code: 2020

## SHRI GURU GOBIND SINGHJI

INSTITUTE OF ENGINEERING AND TECHNOLOGY, NANDED

(Govt. Aided Autonomous Institute) Vishnupuri, Nanded-431606, MH.



स्वातंत्र्याचा अमृत मंदिर

Phone) :02462 (229234 ,269101 ,269102 Fax) :02462(229236

e-mail :director@sggs.ac.in, Website: www.sggs.ac.in

	fitted with heavy duty handles for ease of transportation. The strong metal grille protection, makes less serious all consequences of unavoidable strokes.			
4	60 WATTS (Qty.04) 2-Way Compact PA Wall Speakers Power Rating 60W RMS/90W Max. Power Taps 60W, 60/40/30/20/10W Impedance/Voltage 8Ω / 100V Frequency Response 50-20,000Hz SPL at 1kHz (1W/1m)87dB Speaker Woofer 163mm (6½"), Tweeter 25mm (1") Dimensions W215 × H310 × D175 mm Weight 3.22kg/3.80kg	4		
<b>Total Amount</b>				

